



FROM ONE PROFESSIONAL TO ANOTHER
COMMERCIAL REFRIGERATION - GLOBE GENERATION



Globe
GENERATION

INDEX

FROM ONE PROFESSIONAL TO ANOTHER.

04

MORE EFFICIENT.
MORE PROFITABLE.
MORE SUSTAINABLE.

06

ROBUST AND ERGONOMIC
OUTSIDE...

08

... FUNCTIONAL AND EASY
TO CLEAN INSIDE.

12

PERFECT CONSERVATION FOR AN
EXCELLENT RESULT.

16

A SOLUTION FOR
EVERY NEED.

18



FROM ONE PROFESSIONAL
TO ANOTHER



GLOBE, the new refrigeration generation, has been designed with the kitchen professional in mind. More efficient refrigeration technology, guaranteeing optimum food conservation at the lowest cost. The GLOBE generation is born of your requirements and our experience as **Europe's top commercial refrigeration manufacturer**. Its guarantee: the experience of a brand with four refrigeration manufacturing plants around the world and more than 1000 distribution points.



Your objective is also ours: to ensure you make the right choice.



Power consumption,
a reduction of up to 70%.

MORE EFFICIENT. MORE PROFITABLE. MORE SUSTAINABLE.

Our consistently innovative attitude leads us to fit our equipment with top quality food conservation features and also to comply with all power saving regulations in force. This is a new generation that intends to become your perfect allied for quality, durability, cost saving and sustainability.



01.

HEAVIER INSULATION

When it comes to insulation, the right thickness is a key factor to prevent leaks. Our new Globe generation increases insulation levels in all the average range to provide increased refrigeration efficiency.

Advance models
80 mm

Concept models
Before 50 mm
Now 60 mm

02.

MULTIFLOW SYSTEM

An intelligent air circulation system to ensure a consistent and constant distribution inside the equipment, so that the temperature stays uniform. This system contributes to keep food in good conditions for a longer time and to reduce power consumption.

03.

ECO FUNCTION

This running mode optimises our equipments' performance. When the door remains closed for a certain period of time, temperature and time are automatically selected so that the cooling unit only works when required.

ECO mode
reduces consumption by 12%.

04.

CUTTING EDGE COMPONENTS

Our components reduce power consumption and improve efficiency to make your kitchen a more pleasant place to work at thanks to a lower noise level.

Noise level reduced by **15%.**

05.

ZERO IMPACT GASES

Natural non toxic gas with a reduced environmental impact on the ozone layer. Also, thanks to a smaller load of coolant in our units, compressors' performance is greater with reduced noise level.

Coolant load reduced by **30-40%.**



ROBUST AND ERGONOMIC OUTSIDE...



Our priority is to provide our customers with a reliable, long-lasting product that can stand intense professional usage and maintain the quality and functionality from the first day. Units where robustness and ergonomics combine to perfection for a more dynamic and comfortable work.

01.

USER FRIENDLY ELECTRONIC CONTROLS

Functional and user friendly electronic controls for a direct access to the different functions.

02.

IPX5 PROTECTION

The control panel is integrated in the control holder to provide a greater protection against dirt and shock. IPX5 international grade of protection against water and dust.

03.

ACCESS TO DOOR OPENING

An optional door opening pedal for all the cabinets in the range for an easy and comfortable access when your hands are busy.



Flexible layout: according to door opening orientation.

04.

SELF-CLOSING AND STAY OPEN FEATURE

Globe products are fitted with a self-closing and stay open feature for easier loading and unloading.

Self-closing: when the door is opened less than 90 °.
Stay open feature: when opened more than 135 °.



GLOBE GENERATION

05.

ERGONOMIC
HANDLES

Vertical all the way built-in door handles to offer an easy and accessible grip while providing an obstacle free design.

06.

EASY ACCESS FOR
MAINTENANCE

Globe tables with Monoblock compact system have their cooling units at the front for an easy access for maintenance operations.



...FUNCTIONAL AND EASY TO CLEAN INSIDE.



A new generation of products designed according to the functional and hygienic conditions required by the professionals in the industry.



FAGOR

8:18

CONCEPT



01.

EMBEDDED TRAY SLIDES

Embedded tray slides for easier cleaning. They also provide a more flexible storage space to suit every user's needs.

Embedded tray slides now also in our Concept cabinets.

02.

HEIGHT ADJUSTABLE LEGS

Our adjustable legs let you regulate working surfaces' height according to every user's needs. They also provide a better access to the kitchen floor for cleaning operations.

03.

LED LIGHTING SYSTEM INSIDE

Strategically located LED lights at the top front provide optimum lighting for the whole of the compartment. LEDs' lower power consumption for a much longer time contributes to energy saving, since they generate no heat inside.

04.

REMOVABLE COMPONENTS

All the components inside the tables or cabinets can be removed for an easier cleaning of the unit.

05.

BUILT-IN DRAIN

All our units are fitted with a built-in drain for remove waste waters.

06.

ROUNDED EDGE FLOORING

One-piece rounded edge flooring in all our range for easier cleaning.





PERFECT CONSERVATION FOR AN EXCELLENT RESULT.



Maintaining food quality is our priority. That is why the new Globe generation includes technology to keep food for a longer time with the lowest energy consumption.

EVENLY REFRIGERATED

Apart from keeping a certain temperature, an even distribution is also an essential part of it. For this purpose, the intelligent air circulation system Multiflow distributes the air regularly to keep your food in perfect conditions.

HACCP SYSTEM

HACCP is a system that ensures that food is kept in good conditions by monitoring the equipment temperature and providing a warning log as well as the inspection and correct regulation of food control.

COLD LIGHT SOURCE

LED technology does not produce heat, UVA or infra-red rays. This is why it contributes to the conservation of fresh food and to any other food that is particularly delicate, such as meat or fish.

COLD CHAIN

Observing your cold chain is vital to keep food in good conditions. When increasing insulation thickness temperature losses are reduced and this prevents micro-organisms that may damage our food from growing. Food life increases and conservation losses are significantly reduced.

TIDY STORAGE

Storing food according to its nature is important if you want to preserve it for a longer time and avoid crossed contamination (between fresh and cooked food).

REFRIGERATED CABINETS

ADVANCE

—
INNOVATION AND
TECHNOLOGY.

ADVANCE is our line of technologically innovative cabinets, intended and designed to fulfil the most demanding user's expectations.

CONCEPT




—
VERSATILE AND
QUALITY.

Our CONCEPT cabinets, in its Gastronorm version, offer a diverse range of quality products to suit every kind of businesses and requirements.



GREAT SOLUTIONS FOR THE MOST DEMANDING NEEDS

GLOBE includes two cabinet ranges: ADVANCE and CONCEPT. Each one of these ranges has been designed to meet different users' requirements but offers the same guarantees that endorse us as top quality manufacturers.

CHARACTERISTICS	ADVANCE GASTRONORM	CONCEPT GASTRONORM MONOBLOCK	CONCEPT GASTRONORM	CONCEPT SNACK
DIMENSIONS (1 door)	693 x 856 x 2040	653 x 796 x 1996	653 x 842 x 2040	693 x 726 x 2067
INTERIOR	EMBEDDED TRAY SLIDES	EMBEDDED TRAY SLIDES	EMBEDDED TRAY SLIDES	ZIP SYSTEM
CAPACITY (No. shelves 1 door cabinet)	23 x GN 2/1	23 x GN 2/1	23 x GN 2/1	18 x SNACK
ENERGY EFFICIENCY CLASS (1 door refrigerated cabinet)				
INSULATION	80 mm	60 mm	60 mm *	50 mm
COOLANT +/-	R-600a / R-290	R-600a / R-290	R-600a / R-290	R-600a / R-290
CLIMATE CLASS (1 door)	5	4	4	4
COOLING SYSTEM	BUILT-IN	MONOBLOCK	BUILT-IN	BUILT-IN
LIGHTING	LED	LED	LED	LED
HACCP	YES	OPTIONAL	OPTIONAL	NO
ECO MODE	YES	YES	YES	NO
LOCK (large door)	YES	OPTIONAL	OPTIONAL	OPTIONAL
PROTECTION GRADE	IPX5	IPX5	IPX5	IPX4
OPTIONAL DOOR OPENING PEDAL	YES	YES	YES	NO

* Except cabinets for specific products (fish, pastry...)

REFRIGERATED COUNTERS



EFFICIENCY AND QUALITY FOR PROFESSIONAL NEEDS



The new GLOBE generation includes ADVANCE and CONCEPT ranges with an ample offer for versions, modules and options, so that users can always find a response to their needs.

A SOLUTION FOR EVERY NEED

GLOBE fits the needs of every user thanks to its wide range of options.

CABINETS

STANDARD VERSIONS IN OUR CATALOGUE

	FRIDGE			FREEZER		MIXED FRIDGE AND FREEZE		DOUBLE FRIDGE		MIXED FRIDGE AND FISH		PAstry	FISH
	LARGE DOORS	GLASS DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	MEDIUM DOORS	LARGE DOORS	LARGE DOORS
ADVANCE	●	●	-	●	-	-	-	-	-	-	-	-	-
CONCEPT MONOBLOCK	●	●	●	●	●	●	-	-	-	-	-	-	-
CONCEPT GASTRONORM	●	●	●	●	●	●	●	●	●	●	●	-	-
CONCEPT SNACK	●	●	●	●	●	●	●	-	-	●	●	●	●

OPTIONAL VERSIONS ON DEMAND

	TROPICALISED	HACCP	REVERSED OPENING (*)	OPENING PEDAL (*)	WHEELED	LOCK (*)	MEAT BAR
ADVANCE	○	●	○	○	○	●	-
CONCEPT MONOBLOCK	○	○	○	○	○	○	-
CONCEPT GASTRONORM	○	○	○	○	○	○	-
CONCEPT SNACK	○	-	○	-	○	○	○

* More options in page 244 of the catalogue

** Only in large doors

COUNTERS

STANDARD VERSIONS IN OUR CATALOGUE

	REFRIGERATED WALL WORKTOPS							WALL WORKTOP FREEZERS		CENTRAL REFRIGERATED COUNTERS
	BUILT-IN COOLING UNIT				REMOTE COOLING UNIT			BUILT-IN COOLING UNIT	REMOTE COOLING UNIT	BUILT-IN COOLING UNIT
	STANDARD DOORS	WITH SINK	GLASS DOORS	TWO-DRAWER SETS	STANDARD DOORS	GLASS DOORS	TWO-DRAWER SETS	STANDARD DOORS	STANDARD DOORS	STANDARD DOORS
ADVANCE 700	●	-	●	●	-	-	-	●	-	●
CONCEPT GASTRONORM 700	●	●	●	●	●	●	●	●	●	●
CONCEPT SNACK 600	●	●	●	●	●	○	●	●	●	-

OPTIONAL VERSIONS ON DEMAND*

	REFRIGERATED WALL WORKTOPS							WALL WORKTOP FREEZERS				CENTRAL REFRIGERATED COUNTERS				
	BUILT-IN COOLING UNIT				REMOTE COOLING UNIT			BUILT-IN COOLING UNIT		REMOTE COOLING UNIT		BUILT-IN COOLING UNIT				
	COOLING UNIT ON THE LEFT	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	THREE-DRAWER SETS	WHEELED	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	THREE-DRAWER SETS	COOLING UNIT ON THE LEFT	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	WHEELED	WORKTOP WITHOUT SPLASHBACK	COUNTER WITHOUT WORKTOP	THREE-DRAWER SETS	WHEELED
ADVANCE 700	-	○	○	○	○	-	-	-	-	○	○	○	-	-	○	○
CONCEPT GASTRONORM 700	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
CONCEPT SNACK 600	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-	-







* More options in page 266 of the catalogue

● Standard available ○ Optional - Not available
















ADVANCE | GASTRONORM



MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS								
 EAAFP-801	19038342	1	A	610	314	160	R600a	693x856x2040
 EAAFP-1602	19038352	2	B	1332	558	160	R600a	1.358x856x2040
FREEZER CABINETS								
 EAAFN-801	19038344	1	D	610	2139	350	R290	693x856x2040
 EAAFN-1602	19038357	2	D	1332	4924	640	R290	1.358x856x2040
REFRIGERATED DISPLAY CABINETS								
 EAAEP-801	19038343	1	-	610	-	160	R600a	693x856x2040
 EAAEP-1602	19038353	2	-	1332	-	160	R600a	1.358x856x2040

























CONCEPT | MONOBLOCK



MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS								
 EMAFP-801	19037603	1	B	572	423	130	R600a	653x796x1.996
 EMAFP-802	19037604	2	B	572	423	130	R600a	653x796x1.996
 EMAFP-1602	19037606	2	C	1.144	756	180	R600a	1.318x796x1.996
 EMAFP-1603	19037607	3	C	1.144	756	180	R600a	1.318x796x1.996
 EMAFP-1604	19037608	4	C	1.144	756	180	R600a	1.318x796x1.996
FREEZER CABINETS								
 EMAFN-801	19037691	1	D	572	2.040	520	R290	653x796x1.996
 EMAFN-802	19037692	2	D	572	2.040	520	R290	653x796x1.996
 EMAFN-1602	19037695	2	E	1.144	4.161	610	R290	1.318x796x1.996
 EMAFN-1603	19037696	3	D	1.144	4.161	640	R290	1.318x796x1.996
 EMAFN-1604	19037697	4	D	1.144	4.161	640	R290	1.318x796x1.996
REFRIGERATED DISPLAY CABINETS								
 EMAEP-801	19037605	1	-	572	-	130	R600a	653x796x1.996
 EMAEP-1602	19037610	2	-	1.144	-	180	R600a	1.318x796x1.996
MIXED REFRIGERATION AND FREEZER CABINET								
 EMAF-1602 MIX	19038300	1+1	-	1.144	-	126+352	R600a+R290	1.318x796x1.996




















CONCEPT | GASTRONORM



	MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS									
★	 EAFP-801	19037764	1	C	610	548	160	R600a	653x842x2.040
	 EAFP-802	19037772	2	C	610	548	160	R600a	653x842x2.040
★	 EAFP-1602	19037832	2	C	1.332	913	180	R600a	1.318x842x2.040
	 EAFP-1603	19037834	3	C	1.332	913	180	R600a	1.318x842x2.040
	 EAFP-1604	19037835	4	C	1.332	913	180	R600a	1.318x842x2.040
FREEZER CABINETS									
★	 EAFN-801	19037864	1	D	610	2.179	350	R290	653x842x2.040
	 EAFN-802	19037868	2	D	610	2.179	350	R290	653x842x2.040
★	 EAFN-1602	19037918	2	E	1.332	4.161	640	R290	1.318x842x2.040
	 EAFN-1603	19037924	3	E	1.332	4.161	640	R290	1.318x842x2.040
	 EAFN-1604	19037925	4	E	1.332	4.161	640	R290	1.318x842x2.040
REFRIGERATED DISPLAY CABINETS									
	 EAEP-801	19037812	1	-	610	-	160	R600a	653x842x2.040
	 EAEP-802	19037813	2	-	610	-	160	R600a	653x842x2.040
	 EAEP-1602	19037843	2	-	1.332	-	180	R600a	1.318x842x2.040
REFRIGERATION AND FREEZER MIXED CABINET									
	 EAF-1602 MIX	19038287	1+1	-	1332	-	158+352	R600a+R290	1.318x842x2.040
REFRIGERATION CABINETS WITH FREEZING COMPARTMENT									
	 EAF-802 C	19038516	1+1 freezing compartment	-	596	-	242+185	R290	693x826x2.008
	 EAF-1603 C	19038521	2+1 freezing compartment	-	1301	-	231+185	R600a+R290	1.388x826x2.008
	 EAF-1604 C	19038522	3+1 freezing compartment	-	1301	-	231+185	R600a+R290	1.388x826x2.008
REFRIGERATION CABINETS WITH FISH COMPARTMENT									
	 EAF-802 P	19038518	1+1 fish compartment	D	596	679	216+209	R290	693x826x2.008
	 EAF-1603 P	19038531	2+1 fish compartment	D	1301	906	186+209	R600a+R290	1.388x826x2.008
	 EAF-1604 P	19038532	3+1 fish compartment	D	1301	906	186+209	R600a+R290	1.388x826x2.008
DUAL TEMPERATURE CABINETS									
	 EAFP-802/2	19042469	1+1	D	596	679	216+216	R-600a	693x826x2.008
	 EAFP-1602/2	19042473	1+1	D	1301	905	158+158	R-600a	1.388x826x2.008
	 EAFP-1603/2	19042470	2+1	D	1301	905	158+158	R-600a	1.388x826x2.008
	 EAFP-1604/2	19042471	3+1	D	1301	905	158+158	R-600a	1.388x826x2.008


CONCEPT | SNACK



	MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED CABINETS									
★	 EAFP-701	19037070	1	C	506	548	160	R600a	693x726x2.067
	 EAFP-702	19037071	2	C	506	548	160	R600a	693x726x2.067
★	 EAFP-1402	19037139	2	C	1109	975	180	R600a	1.388x726x2.067
	 EAFP-1403	19037140	3	C	1109	975	180	R600a	1.388x726x2.067
	 EAFP-1404	19037141	4	C	1109	975	180	R600a	1.388x726x2.067
FREEZER CABINETS									
★	 EAFN-701	19037702	1	D	506	2179	350	R290	693x726x2.067
	 EAFN-702	19037703	2	D	506	2179	350	R290	693x726x2.067
★	 EAFN-1402	19037712	2	E	1109	4800	640	R290	1.388x726x2.067
	 EAFN-1403	19037713	3	E	1109	4800	640	R290	1.388x726x2.067
	 EAFN-1404	19037714	4	E	1109	4800	640	R290	1.388x726x2.067
REFRIGERATED DISPLAY CABINETS									
	 EAEP-701	19037072	1	-	506	-	160	R600a	693x726x2.067
	 EAEP-1402	19037143	2	-	1109	-	180	R600a	1.388x726x2.067
REFRIGERATION AND FREEZER MIXED CABINET									
	 EAF-1402 MIX	19037927	1+1	-	1012	-	158+352	R600a+R290	1.388x726x2.067
REFRIGERATION CABINETS WITH FREEZING COMPARTMENT									
	 EAF-702 C	19038534	1+1 freezing compartment	-	506	-	242+185	R290	693x726x2.067
	 EAF-1403 C	19038536	2+1 freezing compartment	-	1109	-	231+185	R600a+R290	1.388x726x2.067
	 EAF-1404 C	19038537	3+1 freezing compartment	-	1109	-	231+185	R600a+R290	1.388x726x2.067
REFRIGERATION CABINETS WITH FISH COMPARTMENT									
	 EAF-702 P	19038535	1+1 fish compartment	D	506	679	216+209	R290	693x726x2.067
	 EAF-1403 P	19038538	2+1 fish compartment	D	1109	906	186+209	R600a+R290	1.388x726x2.067
	 EAF-1404 P	19038539	3+1 fish compartment	D	1109	906	186+209	R600a+R290	1.388x726x2.067


CONCEPT | PASTRY



MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
 EAPP-701	19037778	1	G	574	1132	158	R600a	760x742x2.006





















CONCEPT | FISH



MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
 EAP-701	19037780	1	-	574	-	525	R600a	760x742x2.006

ADVANCE | GASTRONORM
























MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)	
REFRIGERATED COUNTERS									
 EAMFP-135	19037783	2	B	258	694	170	R600a	1.350x700x850	
 EAMFP-180	19037784	3	B	403	767	170	R600a	1.800x700x850	
 EAMFP-225	19037785	4	B	549	810	200	R600a	2.250x700x850	
FREEZER COUNTERS									
 EAMFN-135	19037806	2	D	258	2044	340	R290	1.350x700x850	
 EAMFN-180	19037809	3	D	403	2654	340	R290	1.800x700x850	
REFRIGERATED COUNTERS WITH GLASS DOORS									
 EAMFP-135-PC	19037798	2	-	258	-	170	R600a	1.350x700x850	
 EAMFP-180-PC	19037800	3	-	403	-	170	R600a	1.800x700x850	
 EAMFP-225-PC	19037802	4	-	549	-	240	R600a	2.250x700x850	
REFRIGERATED COUNTERS WITH DRAWERS									
 EAMFP-135-HD	19037786	2 drawers 1 door	B	258	694	170	R600a	1.350x700x850	
 EAMFP-135-HH	19037789	4 drawers	B	258	694	170	R600a	1.350x700x850	
 EAMFP-180-HDD	19037790	2 drawers 2 doors	B	403	767	170	R600a	1.800x700x850	
 EAMFP-180-HHD	19037791	4 drawers 1 door	B	403	767	170	R600a	1.800x700x850	
 EAMFP-180-HHH	19037792	6 drawers	B	403	767	170	R600a	1.800x700x850	
 EAMFP-225-HDDD	19037793	2 drawers 3 doors	B	549	810	200	R600a	2.250x700x850	
 EAMFP-225-HHDD	19037795	4 drawers 2 doors	B	549	810	200	R600a	2.250x700x850	
 EAMFP-225-HHHD	19037796	6 drawers 1 door	B	549	810	200	R600a	2.250x700x850	
 EAMFP-225-HHHH	19037797	8 drawers	B	549	810	200	R600a	2.250x700x850	
REFRIGERATED CENTRAL COUNTERS									
 EAMCP-135	19037803	2+2	-	258	-	170	R600a	1.350x768x850	
 EAMCP-180	19037804	3+3	-	403	-	170	R600a	1.800x768x850	
 EAMCP-225	19037805	4+4	-	546	-	200	R600a	2.250x768x850	

CONCEPT | 700 GASTRONORM





































MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)	
REFRIGERATED COUNTERS									
★	EMFP-135-GN	19036976	2	B	274	752	170	R600a	1.342x700x850
★	EMFP-180-GN	19036983	3	C	428	931	170	R600a	1.792x700x850
	EMFP-225-GN	19036995	4	C	581	1096	200	R600a	2.242x700x850
FREEZER COUNTERS									
★	EMFN-135-GN	19037545	2	D	274	2212	667	R290	1.342x700x850
	EMFN-180-GN	19037550	3	D	428	2467	676	R290	1.792x700x850
REFRIGERATED COUNTERS WITH PRE-INSTALLATION									
	EMFP-102-GN-R	19037590	2	-	274	-	-	-	1.042x700x850
	EMFP-147-GN-R	19037591	3	-	428	-	-	-	1.492x700x850
	EMFP-192-GN-R	19037592	4	-	581	-	-	-	1.942x700x850
FREEZER COUNTERS WITH PRE-INSTALLATION									
	EMFN-102-GN-R	19037636	2	-	274	-	414	-	1.042x700x850
	EMFN-147-GN-R	19037637	3	-	428	-	423	-	1.492x700x850
REFRIGERATED COUNTERS WITH DRAWERS									
	EMFP-135-GN HD	19036978	2 drawers 1 door	C	274	752	170	R600a	1.342x700x850
	EMFP-135-GN HH	19036979	4 drawers	C	274	752	170	R600a	1.342x700x850
	EMFP-180-GN HDD	19036985	2 drawers 2 doors	C	428	931	170	R600a	1.792x700x850
	EMFP-180-GN HHD	19036986	4 drawers 1 door	C	428	931	170	R600a	1.792x700x850
	EMFP-180-GN HHH	19036992	6 drawers	C	428	931	170	R600a	1.792x700x850
	EMFP-225-GN HDDD	19036997	2 drawers 3 doors	C	581	1096	200	R600a	2.242x700x850
	EMFP-225-GN HHDD	19036998	4 drawers 2 doors	C	581	1096	200	R600a	2.242x700x850
	EMFP-225-GN HHHD	19036999	6 drawers 1 door	C	581	1096	200	R600a	2.242x700x850
	EMFP-225-GN HHHH	19037000	8 drawers	C	581	1096	200	R600a	2.242x700x850
REFRIGERATED COUNTERS WITH DRAWERS AND PRE-INSTALLATION									
	EMFP-102-GN-HD-R	19037613	2 drawers 1 door	-	274	-	-	-	1.042x700x850
	EMFP-102-GN-HH-R	19037615	4 drawers	-	274	-	-	-	1.042x700x850
	EMFP-147-GN-HDD-R	19037616	2 drawers 2 doors	-	428	-	-	-	1.492x700x850
	EMFP-147-GN-HHD-R	19037619	4 drawers 1 door	-	428	-	-	-	1.492x700x850
	EMFP-147-GN-HHH-R	19037630	6 drawers	-	428	-	-	-	1.492x700x850
	EMFP-192-GN-HDDD-R	19037631	2 drawers 3 doors	-	581	-	-	-	1.942x700x850
	EMFP-192-GN-HHDD-R	19037632	4 drawers 2 doors	-	581	-	-	-	1.942x700x850
	EMFP-192-GN-HHHD-R	19037633	6 drawers 1 door	-	581	-	-	-	1.942x700x850
	EMFP-192-GN-HHHH-R	19037635	8 drawers	-	581	-	-	-	1.942x700x850

MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS WITH GLASS DOORS								
 EMFP-135-GN PC	19036977	2	-	274	-	170	R600a	1.342x700x850
 EMFP-180-GN PC	19036984	3	-	428	-	170	R600a	1.792x700x850
 EMFP-225-GN PC	19036996	4	-	581	-	200	R600a	2.242x700x850
REFRIGERATED COUNTERS WITH SINK								
 EMFP-135-GN-F	19036982	2	B	274	752	170	R600a	1.342x700x850
 EMFP-180-GN-F	19036993	3	C	428	931	170	R600a	1.792x700x850
 EMFP-225-GN-F	19037001	4	C	581	1096	200	R600a	2.242x700x850
REFRIGERATED CENTRAL COUNTERS								
 EMCP-135-GN	19037012	2+2	-	274	-	170	R600a	1.342x768x850
 EMCP-180-GN	19037013	3+3	-	428	-	170	R600a	1.792x768x850
 EMCP-225-GN	19037014	4+4	-	581	-	200	R600a	2.242x768x850
REFRIGERATED COUNTERS WITH GLASS DOORS AND PRE-INSTALLATION								
 EMFP-102-GN-R PC	19037609	2	-	274	-	-	-	1.042x700x850
 EMFP-147-GN-R PC	19037611	3	-	428	-	-	-	1.492x700x850
 EMFP-192-GN-R PC	19037612	4	-	581	-	-	-	1.942x700x850
REFRIGERATED BASES								
MODELS WITH DOORS								
 EMFP-135-BP	19037038	2	C	177	752	170	R600a	1.342x700x584
 EMFP-180-BP	19037042	3	C	277	931	170	R600a	1.792x700x584
 EMFP-225-BP	19037048	4	D	377	1096	200	R600a	2.242x700x584
MODELS WITH DRAWERS 2/3								
 EMFP-135-B	19037039	2 drawers	C	177	752	170	R600a	1.342x700x584
 EMFP-180-B	19037043	3 drawers	C	277	931	170	R600a	1.792x700x584
 EMFP-225-B	19037049	4 drawers	C	377	1096	200	R600a	2.242x700x584
MODELS WITH DRAWERS 1/3								
 EMFP-135-B2	19037040	2 drawers 1 door	C	177	752	170	R600a	1.342x700x584
 EMFP-180-B2	19037044	4 drawers 1 door	C	277	931	170	R600a	1.792x700x584
 EMFP-225-B2	19037050	6 drawers 1 door	D	377	1096	200	R600a	2.242x700x584













CONCEPT | 600 SNACK



	MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS									
★	 EMSP-150	19036912	2	C	268	836	170	R600a	1.492x600x850
★	 EMSP-200	19036970	3	C	416	931	170	R600a	2.017x600x850
	 EMSP-250	19037002	4	C	564	1096	200	R600a	2.542x600x850
REFRIGERATED COUNTERS									
★	 EMSN-150	19037552	2	D	268	2212	667	R290	1.492x600x850
	 EMSN-200	19037553	3	D	416	2467	676	R290	2.017x600x850
REFRIGERATED COUNTERS WITH PRE-INSTALLATION									
	 EMSP-117-R	19037640	2	-	268	-	-	-	1.192x600x850
	 EMSP-169-R	19037641	3	-	416	-	-	-	1.717x600x850
	 EMSP-222-R	19037642	4	-	564	-	-	-	2.242x600x850
FREEZER COUNTERS WITH PRE-INSTALLATION									
	 EMSN-117-R	19037666	2	-	268	-	416	-	1.192x600x850
	 EMSN-169-R	19037668	3	-	416	-	426	-	1.717x600x850
REFRIGERATED COUNTERS WITH DRAWERS *									
	 EMSP-150-HD	19036948	2 drawers 1 door	C	268	836	170	R600a	1.492x600x850
	 EMSP-150-HH	19036953	4 drawers	C	268	836	170	R600a	1.492x600x850
	 EMSP-200-HDD	19036973	2 drawers 2 doors	C	416	931	170	R600a	2.017x600x850
	 EMSP-200-HHD	19036974	4 drawers 1 door	C	416	931	170	R600a	2.017x600x850
	 EMSP-200-HHH	19036975	6 drawers	C	416	931	170	R600a	2.017x600x850
	 EMSP-250-HDDD	19037006	2 drawers 3 doors	C	564	1096	200	R600a	2.542x600x850
	 EMSP-250-HHDD	19037007	4 drawers 2 doors	C	564	1096	200	R600a	2.542x600x850
	 EMSP-250-HHHD	19037008	6 drawers 1 door	C	564	1096	200	R600a	2.542x600x850
	 EMSP-250-HHHH	19037009	8 drawers	C	564	1096	200	R600a	2.542x600x850
REFRIGERATED COUNTERS WITH DRAWERS AND PRE-INSTALLATION									
	 EMSP-117-HD-R	19037645	2 drawers 1 door	-	268	-	-	-	1.192x600x850
	 EMSP-117-HH-R	19037646	4 drawers	-	268	-	-	-	1.192x600x850
	 EMSP-169-HDD-R	19037648	2 drawers 2 doors	-	416	-	-	-	1.717x600x850
	 EMSP-169-HHD-R	19037649	4 drawers 1 door	-	416	-	-	-	1.717x600x850
	 EMSP-169-HHH-R	19037650	6 drawers	-	416	-	-	-	1.717x600x850
	 EMSP-222-HDDD-R	19037651	2 drawers 3 doors	-	564	-	-	-	2.242x600x850
	 EMSP-222-HHDD-R	19037652	4 drawers 2 doors	-	564	-	-	-	2.242x600x850
	 EMSP-222-HHHD-R	19037654	6 drawers 1 door	-	564	-	-	-	2.242x600x850
	 EMSP-222-HHHH-R	19037655	8 drawers	-	564	-	-	-	2.242x600x850

MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
REFRIGERATED COUNTERS WITH GLASS DOORS								
 EMSP-150-PC	19036937	2	-	268	-	170	R600a	1.492x600x850
 EMSP-200-PC	19036972	3	-	416	-	170	R600a	2.017x600x850
 EMSP-250-PC	19037004	4	-	564	-	200	R600a	2.542x600x850
REFRIGERATED COUNTERS WITH SINK								
 EMSP-150-F	19036915	2	C	268	836	170	R600a	1.492x600x850
 EMSP-200-F	19036971	3	C	416	931	170	R600a	2.017x600x850
 EMSP-250-F	19037003	4	C	564	1096	200	R600a	2.542x600x850

FRONT COUNTERS

MODEL	CODE	NO. OF DOORS	ENERGY EFFICIENCY CLASS	GROSS CAPACITY (L)	ANNUAL ENERGY CONSUMPTION (kW-h)	ELECTRIC POWER (W)	COOLANT	DIMENSIONS (mm)
FRONT COUNTERS								
REFRIGERATED MODELS								
★  EFMP-150	19036966	2	C	355	835	170	R600a	1.492x600x1.045
★  EFMP-202	19036968	3	C	551	988	170	R600a	2.017x600x1.045
 EFMP-255	19037010	4	C	747	1171	200	R600a	2.542x600x1.045
REFRIGERATED MODELS WITH GLASS DOORS								
 EFMP-150 PC	19036967	2	-	355	-	170	R600a	1.492x600x1.045
 EFMP-202 PC	19036969	3	-	551	-	170	R600a	2.017x600x1.045
 EFMP-255 PC	19037011	4	-	747	-	200	R600a	2.542x600x1.045
REFRIGERATED MODELS WITH PRE-INSTALLATION								
 EFMP-117-R	19037657	2	-	355	-	-	-	1.192x600x1.045
 EFMP-169-R	19037659	3	-	551	-	-	-	1.717x600x1.045
 EFMP-222-R	19037661	4	-	747	-	-	-	2.242x600x1.045
REFRIGERATED MODELS WITH GLASS DOORS AND PRE-INSTALLATION								
 EFMP-117-R PC	19037662	2	-	355	-	-	-	1.192x600x1.045
 EFMP-169-R PC	19037664	3	-	551	-	-	-	1.717x600x1.045
 EFMP-222-R PC	19037665	4	-	747	-	-	-	2.242x600x1.045

FAGOR INDUSTRIAL S. COOP.
Santxolopetegi auzoa, 22
20560 Oñati, Gipuzkoa (España)
T. (+34) 943 71 80 30
F. (+34) 943 71 81 81
info@fagorindustrial.com

www.fagorindustrial.com



ISO 9001

